

Equestrian Queensland Preferred Facility Standards

Statewide Facilities Plan–Appendix 01





ACKNOWLEDGMENTS

Equestrian Queensland (EQ) wishes to acknowledge the contribution made by a number of stakeholders in the development of this plan. Thank you to the equestrian community, including clubs, sports committees, project steering committee, EQ Board, individuals and organisations that have contributed information and provided feedback. Significant contributions have been made by the EQ staff.

EQ acknowledges the support provided by the Queensland Government in funding the project and its representation on the project steering committee. Thank you also to the councils who met with EQ regarding the project.

COPYRIGHT AND DISCLAIMER

This Statewide Facilities Plan and Preferred Facility Standards have been prepared for the benefit of and use by Equestrian Queensland (the Client) in accordance with the terms of the engagement. This plan must not be used for any other purpose, or by any other party, nor is the plan to be made available to any other party without the prior written consent of the Client. No part of this document may be reproduced in part or full without the prior, written permission of the Client. All statements, projections and opinions expressed in this plan are given in good faith and have been prepared in reliance upon our own observations and consultation and upon information that has been provided to us throughout the planning process. Future projections are based upon the data, representations, assumptions and estimates provided to us. The Client indemnifies CPR Group (which includes its consultants) against any and all claims against the Client or CPR Group by reason of any information omitted or false information included in this plan. The contents of this plan have not been independently audited. As such, the Client assumes the entire risk related to its use of this plan. CPR Group does not warrant or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of the contents of, or projections in this plan and disclaims any and all warranties, whether express or implied, including (without limitation) any implied warranties of merchantability or fitness for a particular purpose. In no event will CPR Group be liable to the Client or to any third party for any direct, indirect, incidental, consequential, special or exemplary damages or lost profit resulting from any use or misuse of this plan. All intellectual property in the processes and methodology used to create this document, together with the design of graphics, symbols and definitions contained in this document is the property of CPR Group and is protected by Australian and international copyright laws. All rights reserved. No part of the intellectual property of CPR Group may be used, reproduced, sold, transferred, modified, published or made available to any other party without the prior written permission of CPR Group.



This project was proudly completed by CPR Group, September 2019 www.cprgroup.com.au PO Box 2092, Sunshine Plaza Qld 4558



TABLE OF CONTENTS

OI TIER I- OLYMPIC AND WORLD EQUESTRIAN GAMES (WEG)	1
02 TIER 2 - INTERNATIONAL/NATIONAL	2
O3 TIER 3 - STATE	3
04 TIER 4 - REGIONAL	4
O5 BASE	5
06 SPECIFICATION	6
07 MAINTENANCE	9
08 REFERENCES	10
09 GLOSSARY	11





• TIER I – OLYMPIC AND WORLD EQUESTRIAN GAMES (WEG)

Facility Standard Requirements	Dressage (Olympics, World Equestrian Games)	Jumping (Olympics, World Equestrian Games)	Eventing (Olympics, World Equestrian Games)	Driving (World Equestrian Games)	Vaulting (World Equestrian Games)	Show Horse
Competition Area/s	Min 100mx80m (8,000m2) within a stadium	Min 100mx80m (8,000m2) within a stadium	Min 100mx80m (8,000m2) within a stadium for dressage or jumping Cross country 6,270m-6,840m long (10-15m wide track) 40-45 obstacles with water and over undulating ground, primarily turf	Min 120mx70m (8,400m2) within a stadium Allows for driven dressage and obstacle/ cones driving (allows for dressage arena 100mx40m plus an extra 10m either side and 20m at the entry end at A)	Championships competition circle min 26m diameter Indoor arena, the height to the ceiling must be at least 5m The public must be at least 15m away from the centre of the vaulting circle See FEI Vaulting rules	N/A
Practice / Training Area/s	Min 2,000m2 with competition surface	Min 2,000m2 with competition surface	Dressage/jumping min 2,000m2 with competition surface Cross country training area min 6,000m2 Gallop track 800-1,000m	Min 100mx100m (10,000m2), (practice dressage arena 100mx40m provided and set of cones for practicing obstacle driving) Large area, either a circuit or an area of roads or tracks, at least 5km of tracks is advisable	1 practice arena is compulsory to be as the competition arena Min 3 indoor circles with min 18m diameter Min 1 suitable area for riding near the competition/practice arenas (available during the times that Vaulting arenas are open to athletes for practice and warm-up)	N/A
Surface	All-weather sand based equestrian artificial footing	All-weather sand based equestrian artificial footing	All-weather sand based equestrian artificial footing for Dressage/jumping arena Primarily turf undulating track with water obstacles for cross country	All-weather sand based equestrian artificial footing for Dressage/Cones (surface must be specific for Driving requirements) Primarily turf undulating track with water obstacle for Marathon	All-weather sand based equestrian artificial footing	N/A
Lunging Area	Min 3 round yards	Min 3 round yards	Min 3 round yards	Min 3 round yards	Designated safe area for min 3 circles (min 18m diameter)	N/A
Admin / Officials / Scoring Rooms	Extensive administration facilities	Extensive administration facilities	Extensive administration facilities	Extensive administration facilities	Extensive administration facilities	N/A
Competitors	Olympics – 60 athletes and 60 horses WEG – 70+ athletes and 70+ horses WEG para – 60+ athletes and 60+ horses	Olympics – 75 athletes and 75 horses WEG – 100+ athletes and 100+ horses	Olympics – 65 athletes and 65 horses WEG – 70+ athletes and 70+ horses	WEG – 15+ teams and 90+ horses	WEG – 50+ athletes and 20+ horses	N/A
Spectators	20,000+	20,000+	20,000+	20,000+	20,000+	N/A
Lighting / Sound / Media	Min 1,000 lux lighting and sound system suitable for broadcasting	Min 1,000 lux lighting and sound suitable for broadcasting	Min 1,000 lux lighting and sound suitable for broadcasting	Min 1,000 lux lighting and sound suitable for broadcasting	Min 1,000 lux lighting and sound suitable for broadcasting	N/A
Horse Inspection / Holding Areas	Inspection strip min 50m long (firm level surface), 2m wide Horse inspection holding box and practice strip Veterinary clinic and min 6 treatment boxes	Inspection strip min 50m long (firm level surface), 2m wide Horse inspection holding box and practice strip Veterinary clinic and min 6 treatment boxes	Inspection strip min 50m long (firm level surface), 2m wide Horse inspection holding box and practice strip Veterinary clinic and min 6 treatment boxes	Inspection strip min 50m long (firm level surface), 2m wide Horse inspection holding box and practice strip Veterinary clinic and min 6 treatment boxes	Inspection strip min 50m long (firm level surface), 2m wide Horse inspection holding box and practice strip Veterinary clinic and min 6 treatment boxes	N/A
Stabling / Yards	60+ stables Min 4 stables for isolation Min 4 stables for medication control (swabbing) Min 2 horse space for farrier	75+ stables Min 4 stables for isolation Min 4 stables for medication control (swabbing) Min 2 horse space for farrier	65+ stables Min 4 stables for isolation Min 4 stables for medication control (swabbing) Min 2 horse space for farrier	90+ stables 1 additional stable for use by athletes as harness room – 1 per team of horses, 1 per two pairs and 1 per three singles (preferable size 9m2) Min 4 stables for isolation Min 4 stables for medication control (swabbing) Min 2 horse space for farrier	20+ stables Min 4 stables for isolation Min 4 stables for medication control (swabbing) Min 2 horse space for farrier	N/A
Camping	Required + grooms' accommodation	Required + grooms' accommodation	Required + grooms' accommodation	Required + grooms' accommodation	Required + grooms' accommodation	N/A
Water	Min 1 tap/20 horses within stable complex 1 wash bay per 30 horses, each bay min 12m2 Irrigation	Min 1 tap/20 horses within stable complex 1 wash bay per 30 horses, each bay min 12m2 Irrigation	Min 1 tap/20 horses within stable complex 1 wash bay per 30 horses, each bay min 12m2 Irrigation	Min 1 tap/20 horses within stable complex 1 wash bay per 30 horses, each bay min 12m2 Irrigation	Min 1 tap/20 horses within stable complex 1 wash bay per 30 horses, each bay min 12m2 Irrigation	N/A

Please Note: These Preferred Facility Standards should be read in conjunction with the Specifications towards the end of this document. Competition, practice and training areas are outdoors unless otherwise stated.



02TIER 2 - INTERNATIONAL/NATIONAL

Facility Standard	Dressage	Jumping	Eventing	Driving	Vaulting	
Requirements	(Olympics, World Equestrian Games)	(Olympics, World Equestrian Games)	(Olympics, World Equestrian Games)	(World Equestrian Games)	(World Equestrian Games)	Show Horse
Competition Area/s	Indoor dressage stadium preferred min 80mx40m (3,200m2) and multiple outdoor dressage arenas 1 dressage arena/max 60 competitor tests/ day	Indoor min 1,200m2 with short side min 25m Outdoor min 4,000m2 1 jumping arena/max 200 competitor rounds/ day	1 dressage arena/max 40 competitors/day 1 jumping arena/max 150 competitor rounds/ day 2 - 3 jumping arenas – (main jumping arena min 5,000m2 with short side of min 60m and additional jumping arenas min 4,000m2 with short side of 50m) Cross country up to 7,000m long undulating terrain with water jump	Min 120mx70m (8,400m2) to allow for driven dressage and obstacle/cones Allows for driven dressage arena plus an extra 10m either side and 20m at the entry end at A Marathon – CAIO4* 11.8km—18.5km, CAI3* 11.8km-18.5km	Min 18m diameter In the case of a competition held indoors the height to the ceiling must be at least 5m	Indoor stadium Ring size 60mx30m (1,800m2) Spectators separated by a fence at least 10m, preferably 15m from the competition ring
Practice / Training Area/s	Min 60mx20m (1,200m2) or similar m2 size area per competition arena with competition surface	Min 2,000m2 per competition arena with competition surface	Dressage min 60mx20m (1,200m2) per competition arena with competition surface Jumping min 40mx50m (2,000m2) per competition arena with competition surface Cross country training area min 6,000m2	Min 100mx100m (10,000m2), practice driven dressage arena provided, set of cones for practicing obstacle/cones Large area either a circuit or an area of roads or tracks, at least 5km of tracks is advisable	1 practice circle is compulsory with the same specs as the competition arena and 3 additional practice circles min 18m diameter For championships, min 3 indoor circles with min 18m diameter If the competition takes place indoors the possibility for practicing indoors must be available to all athletes Min 1 suitable area for riding, near the competition/practice arenas (available during the times that vaulting arenas are open to athletes for practice and warm-up)	Min 80mx40m or min 3,000m2
Surface	All-weather sand based equestrian artificial footing	All-weather sand based equestrian artificial footing or highly maintained turf	All-weather sand based equestrian artificial footing for dressage and show jumping competition areas Cross country highly maintained turf	Highly maintained turf or all-weather sand based equestrian artificial footing (surface must be specific to Driving requirements) Primarily turf undulating track with water obstacle for marathon	All-weather sand based equestrian artificial footing Indoor preferred	All-weather sand based equestrian artificial footing
Lunging Area	Min 2 round yards and designated safe lunging area	Min 1 round yard and designated safe lunging area	Min 1 round yard and designated safe lunging area	Min 1 round yard and designated safe lunging area	Designated safe area for min 3 circles (min 19m diameter)	Min 1 round yard and designated safe lunging area
Admin / Office Rooms	Multiple administration facilities required for admin, press, scoring and officials	Multiple administration facilities required for admin, press, scoring and officials	Multiple administration facilities required for admin, press, scoring and officials	Multiple administration facilities required for admin, press, scoring and officials	Multiple administration facilities required for admin, press, scoring and officials	Multiple administration facilities required for admin, press, scoring and officials
Competitors	200-400	200-400	200-400	50-100	100-150	100-200
Spectators	500-2,000	500-2,000	500-2,000	100-300	200-500	200-500
Lighting / Sound	Min 500 lux lighting and extensive sound system	Extensive sound system	Extensive system	Extensive sound system	Min 500 lux lighting and extensive sound system	Min 500 lux lighting and extensive sound system
Horse Inspection / Holding Areas	Required	Required	Required	Required	Required	Required Measuring bay
Stabling / Yards	200-500 stables Min 2 for isolation Min 2 for medication control (swabbing)	200-500 stables Min 2 for isolation Min 2 for medication control (swabbing)	200-500 stables Min 2 for isolation Min 2 for medication control (swabbing)	50-200 stables Harness rooms Min 1 for isolation Min 1 for medication control (swabbing)	30-60 stables Min 1 for isolation Min 1 for medication control (swabbing)	100-300 stables Min 2 for isolation Min 2 for medication control (swabbing)
Camping	130+ camp sites required Electricity and water available, toilet/shower facilities Self-catering and laundry facilities	shower facilities	Required Electricity and drinking water available, toilet/ shower facilities	Required Driving – 25mx18m (450m2) per athlete Electricity and drinking water available, toilet/ shower facilities	Required Electricity and drinking water available, toilet/ shower facilities	Required Electricity and drinking water available, toilet/shower facilities
Water	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation	Min 1 tap/20 horses Min 1 wash bay/60 horses Irrigation

Please Note: These Preferred Facility Standards should be read in conjunction with the Specifications towards the end of this document. Competition, practice and training areas are outdoors unless otherwise stated.



03 TIER 3 – STATE

Facility Standard	Dressage	Jumping	Eventing	Driving	Vaulting	Oh and Hanna
Requirements	(Olympics, World Equestrian Games)	(Olympics, World Equestrian Games)	(Olympics, World Equestrian Games)	(World Equestrian Games)	(World Equestrian Games)	Show Horse
Competition Area/s	1 dressage arena/max 60 competitor tests/ day	Indoor min 1,200m2 with short side min 25m Outdoor min 4,000m2 with short side min 50m 1 jumping arena/max 200 competitor rounds/ day	1 dressage arena/max 40 competitors/day 1 jumping arena/max 150 competitor rounds/ day Jumping min 4,000m2 with short side min 50m Cross country course 650m-3,575m	Min 120mx70m (8,400m2) to allow for driven dressage and obstacle/cones Dressage arena 100mx40m, in some cases a smaller arena 80mx40m may be used Arrangements must be made so spectators cannot approach closer than 5m from the edge of the arena Marathon – CAI2* 10.8km-17km Combined marathon/cones – CAI2* and CAI1* 600m-800m	Min 18m diameter In the case of a competition held indoors the height to the ceiling must be at least 5m	1 main ring 60mx30m (1,800m2) For 2 or more rings min 40mx20m (800m2)/ ring
Practice / Training Area/s	Min 60mx20m or min 1,200m2 per 2 competition arenas Competition surface preferred	Min 40mx50m (2,000m2) per competition arena Competition surface preferred	Dressage min 60mx20m (1,200m2) per 2 competition arenas Jumping min 40mx50m (2,000m2) per competition arena Competition surface preferred Cross country training area min 6,000m2	Min 100mx100m (10,000m2)	Min 2 practice circles (min 18m diameter)	Min 60mx30m or min 1,800m2
Surface	All-weather sand based equestrian artificial footing	All-weather sand based equestrian artificial footing or maintained turf	All-weather sand based equestrian artificial footing or maintained turf	Maintained turf or all-weather sand based equestrian artificial footing (surface must be specific to driving requirements) Primarily turf undulating track with water obstacle for marathon	All-weather sand based equestrian artificial footing Indoor preferred	All-weather sand based equestrian artificial footing or maintained turf
Lunging Area	Min 1 round yard and designated safe lunging area	Min 1 round yard or designated safe lunging area	Min 1 round yard or designated safe lunging area	Min 1 round yard or designated safe lunging area	Designated safe area for min 2 practice circles (min 18m diameter)	Min 1 round yard or designated safe lunging area
Admin / Office Rooms	Permanent or temporary, furnished office spaces with electricity and separate scoring office	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity
Competitors	100-200	100-200	100-300	20-100	50-100	100-200
Spectators	100-500	500-2000	100-500	20-200	100-200	100-200
Lighting / Sound	Lighting and PA system Split system for freestyles	PA system	PA system	PA system	PA system	PA system
Horse Inspection / Holding Areas	Required for state championships	Required for state championships	Required for state championships	Required for state championships	Required for state championships	Required for HOTY Measuring bay
Stabling / Yards	Up to 250 for overnight competitions Min 1 for isolation Min 2 for medication control (swabbing)	Up to 250 for overnight competitions Min 1 for isolation Min 1 for medication control (swabbing)	Up to 250 for overnight competitions Min 1 for isolation, Min 1 for medication control (swabbing)	Up to 250 for overnight competitions Min 1 for isolation Min 1 for medication control (swabbing)	Up to 50 for overnight competitions Min 1 for isolation Min 1 for medication control (swabbing)	Up to 150 for overnight competitions Min 1 for isolation Min 1 for medication control (swabbing)
Camping	Required Electricity and water available, toilet/shower facilities	Required Electricity and water available, toilet/shower facilities	Required Electricity and water available, toilet/shower facilities	Water available	Water available	Required Electricity and water available, toilet/shower facilities
Water	Multiple taps Min 1 wash bay/60 horses Irrigation	Multiple taps Min 1 wash bay/60 horses Irrigation	Multiple taps Min 1 wash bay/60 horses Irrigation	Multiple taps Min 1 wash bay/60 horses Irrigation	Multiple taps Min 1 wash bay/60 horses Irrigation	Multiple taps Min 1 wash bay/60 horses Irrigation



04 TIER 4 - REGIONAL

Facility Standard Requirements	Dressage (Olympics, World Equestrian Games)	Jumping (Olympics, World Equestrian Games)	Eventing (Olympics, World Equestrian Games)	Driving (World Equestrian Games)	Vaulting (World Equestrian Games)	Show Horse
	Min 1 dressage arena 1 dressage arena/max 60 competitor tests/ day	Indoor min 1,200m2 with short side min 25m or Outdoor min 4,000m2 with short side min 50m	1 dressage arena/max 40 competitors/day 1 jumping arena/max 150 competitor rounds/ day	Dressage arena 100mx40m (4,000m2), in some cases a smaller arena 80mx40m (3,200m2) may be used	Min 18m diameter circle	Min 40mx20m or min 800m2 per ring
Competition Area/s		1 jumping arena/max 200 competitor rounds/ day	Jumping/ express eventing arena min 4,000m2 with short side min 50m Cross country course 650m-3,575m	Arrangements must be made so spectators cannot approach closer than 5m from the edge of the arena		
Practice / Training Area/s	Min 60mx20m (1,200m2) or min 60mx20m per 2 competition arenas (competition surface preferred)	Min 50mx30m (1,500m2)	Dressage 60mx20m or min 1,200m2 Jumping min 40mx30m or min 1,200m2 Cross country min 2,000m2	Min 100mx40m or min 4,000m2 area	Min 1 practice circle (min 18m diameter)	Min 40mx20m or min 800m2 per competition ring
Surface	All-weather sand based equestrian artificial footing or maintained turf	All-weather sand based equestrian artificial footing or maintained turf	All-weather sand based equestrian artificial footing or maintained turf	Maintained turf	All-weather sand based equestrian artificial footing or maintained turf	All-weather sand based equestrian artificial footing or maintained turf
Lunging Area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area	Designated safe area for min 2 circles	Designated safe lunging area
Admin / Office Rooms	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity
Competitors	10-100	10-100	10-100	10-50	10-50	10-100
Spectators	20-100	20-500	20-300	10-50	20-100	20-100
Lighting / Sound	PA system	PA system	PA system	Not required	PA system	PA system
Horse Inspection / Holding Areas	Not required	Not required	Not required	Not required	Not required	Measuring bay recommended
Stabling / Yards	Not required, day yards recommended	Required for agricultural shows, day yards recommended	Not required, day yards recommended	Not required, day yards recommended	Not required, day yards recommended	Not required, day yards recommended
Camping	Not required	Required for agricultural shows	Not required	Not required	Not required	Not required
Water	Multiple taps	Multiple taps	Multiple taps	Multiple taps	Multiple taps	Multiple taps
water	Min 1 wash bay	Min 1 wash bay	Min 1 wash bay	Min 1 wash bay	Min 1 wash bay	Min 1 wash bay



05 BASE

Basic requirements for all facilities

Facility Standard Requirements	Dressage	Jumping	Eventing	Driving	Vaulting	Show Horse
Competition Area/s	60mx20m (1,200m2)	4,000m2 with short side of 50m	Dressage 60mx20m (1,200m2) Jumping 4,000m2 with short side min 50m Cross country area or track over undulating ground, primarily turf	100mx40m (4,000m2)	Min 18m diameter circle	40mx20m (800m2)
Practice / Training Area/s	Min 60mx20m or min 1,200m2	Min 40mx30m or min 1,200m2	Dressage/jumping min 2,000m2 Cross country min 2,000m2	Min 80mx40m or min 3,000m2	1 practice circle (min 18m diameter)	Min 40mx20m (800m2)
Surface	Maintained turf	Maintained turf	Maintained turf	Maintained turf	Maintained turf	Maintained turf
Lunging Area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area	Designated safe lunging area
Fencing	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets	Livestock proof perimeter fencing, well maintained, safe and adequate to prevent injury Competition and training area/s and venue enclosed with suitable fencing Preferably no electric fencing and/or star pickets
Admin / Office Rooms	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity
Horse Inspection / Holding Areas	Not required	Not required	Not required	Not required	Not required	Not required
Stabling / Yards	Not required	Not required	Not required	Not required	Not required	Not required
Camping / Parking	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting Camping is not required	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting Camping is not required	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting Camping is not required	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting. Camping is not required	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting Camping is not required	Safe and controlled area with easy access for vehicles and trucks Sufficient toilets (clean, hygienic and in good working order) Electricity connected, appropriate indoor/ outdoor lighting Camping is not required
Water	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure	Min 1 tap/20 horses Min 1 wash bay Adequate water pressure
Catering	Suitable catering must be supplied for competitors, spectators and judges	Suitable catering must be supplied for competitors, spectators and judges	Suitable catering must be supplied for competitors, spectators and judges	Suitable catering must be supplied for competitors, spectators and judges	Suitable catering must be supplied for competitors, spectators and judges	Suitable catering must be supplied for competitors, spectators and judges
Para / Disabled Facilities	Recommended	Recommended	Recommended	Recommended	Recommended	Recommended
Equipment	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules	Safe and suitable for activity, well maintained, correctly fitted As per EA national rules
Emergency	Easy access for an ambulance or emergency services to competition, training and stable/yard areas	Easy access for an ambulance or emergency services to competition, training and stable/yard areas	Easy access for an ambulance or emergency services to competition, training and stable/ yard areas Compulsory ambulance on site for cross country	Easy access for an ambulance or emergency services to competition, training and stable/ yard areas First aid officer for Tier 2 and 3	Easy access for an ambulance or emergency services to competition, training and stable/yard areas First aid officer for Tier 2 and 3	Easy access for an ambulance or emergency services to competition, training and stable/yard area



06SPECIFICATION

Facility Standard Requirements	Dressage	Jumping	Eventing	Driving	Vaulting	Show Horse
Competition Area/s	Flat area for dressage arena/s 60mx20m (1,200m2) separated from the public (incl photographers and video operators) by a buffer all round of 15m if possible but at least 10m The edge of the arena must consist of a low continuous surround about 0.3m high with a 2m-4m entrance Dressage arenas can be placed at least 10m apart, preferably 15m For more details refer to EA national dressage rules 01/01/2019 section 3.6 Buffer min distance between any point of the boarded competition arena and spectator seating in a stadium must be at least 15m There must be a barrier/fence separating spectators between a 3m zone and the main arena	Min 4,000m2 with short side of 50m Oval arenas or rectangles with rounded edges are more appropriate for jumping and are easier to maintain (see maintenance)	Flat area for dressage arena/s 60mx20m (1,200m2), show jumping area Separated from the public (incl photographers and video operators) by a buffer all round of 15m if possible but at least 10m The edge of the arena must consist of a low continuous surround about 0.3m high with a 2m-4m entrance Dressage arenas can be placed at least 10m apart, preferably 15m For more details refer to EA national dressage rules 01/01/2019 section 3.6 Buffer min distance between any point of the boarded competition arena and spectator seating in a stadium must be at least 15m There must be a barrier/fence separating spectators between a 3m zone and the main arena Jumping min 4,000m2 with short side min 50m Cross country up to 7,000m long over undulating ground with water jumps, primarily turf footing	Preferably 130mx70m (9,100m2) to allow for driven dressage arena 100mx40m (4,000m2) Spectators separated by a fence at least 10m from the competition arena (min 20m at entry end to allow for sufficient space for a straight entrance by a four-in hand of horses at A)	Min 18m diameter Spectators must be a min of 2m away from the circle and min 13m away from the centre of the vaulting circle, in championships min 15m Preferably the edge of the vaulting circle to consist of a low continuous surround about 0.3m high with a 2m-4m entrance Indoor arena is preferred In the case of a competition held indoors the height to the ceiling must be at least 5 m	Main competition ring min 60mx30m (1,800m2) Smaller rings can be 40mx20m or min 800m2 per ring The edge of the ring should consist of markers or a low continuous surround about 0.3m high with a 2m-4m entrance Spectators separated by a fence at least 10m, preferably 15m from the competition ring
Lunging Area	Fixed round yard min 16m diameter with sand based equestrian artificial footing or designated safe lunging area with flat maintained turf		Fixed round yard min 16m diameter with sand based equestrian artificial footing or designated safe lunging area with flat maintained turf	Fixed round yard min 16m diameter with sand based equestrian artificial footing or designated safe lunging area with flat maintained turf	Designated safe lunging area/s, sand based equestrian artificial footing is preferred Lunging circle for vaulting min 18m diameter If the competition takes place indoors the possibility for practicing and lunging indoors must be available to all athletes	Fixed round yard min 16m diameter with sand based equestrian artificial footing or designated safe lunging area with flat maintained turf
Footing	used a turf surface, but the difficulty in maintenance and days lost due to bad weather alongside the development of synthetic surfaces has meant there has been a shift towards other solutions Some venues have opted for all-weather surfaces, which are usually based on sand Experience from international events including championships such as the Olympics or World Cup finals with dressage and jumping held in parallel show that the two disciplines can share the same arena Traditionally, jumping riders expect a surface with more impact resistance This is achieved mainly through rolling the surface and	recovers quickly from rainfall Additives to sand i.e. fibre has been used in riding surfaces for more than 25 years, with the aim of improving functional properties, increasing shear strength and stability and reducing maintenance requirements Historically high-level competitions on established sites used a turf surface, but the difficulty in maintenance and days lost due to bad weather alongside the development of synthetic surfaces has meant there has been a shift towards other solutions Some venues have opted for all-weather surfaces, which are usually based on sand Experience from international events including championships such as the Olympics or World Cup finals with dressage and jumping held in parallel show that the two disciplines can share the same arena Traditionally, jumping riders expect a surface with more impact resistance This is achieved mainly through rolling the surface and increasing moisture content by more watering, starting a few days before the event so that all layers of the surface become thoroughly moist Turf is to be maintained in good health with a strong root system and seasonal leaf growth	Horses must be trained and compete on suitable and safe surfaces. All ground surfaces on which horses walk, train or compete must be designed and maintained to reduce factors that could lead to injury Sand arenas should be offered to FEI classes Turf arenas for the lower level competitions may be an option provided that they are flat, with even turf coverage and must not be hard All-weather sand based equestrian artificial footing - sand top layer/middle layer/subbase/drainage The top layer for dressage and jumping should be rebounding, shock absorbing, flat/smooth and not slippery with minimal to no dust Adequate drainage must be installed to ensure the surface recovers quickly from rainfall Additives to sand i.e. fibre has been used in riding surfaces for more than 25 years, with the aim of improving functional properties, increasing shear strength and stability and reducing maintenance requirements Historically high-level competitions on established sites used a turf surface, but the difficulty in maintenance and days lost due to bad weather alongside the development of synthetic surfaces has meant there has been a shift towards other solutions Some venues have opted for all-weather surfaces, which are usually based on sand Experience from international events including championships such as the Olympics or World Cup finals with dressage and jumping held in parallel show that the two disciplines can share the same arena Traditionally, jumping riders expect a surface with more impact resistance This is achieved mainly through rolling the surface and increasing moisture content by more watering, starting a few days before the event so that all layers of the surface become thoroughly moist Turf is to be maintained in good health with a strong root system and seasonal leaf growth All surfaces are to be smooth, free of scalping, clippings and a have a low weed population Mowing should be conducted to ensure that clippings are not left on the surface The importance of the best possible footing for cross country ca	Horses must be trained and compete on suitable and safe surfaces. All ground surfaces on which horses walk, train or compete must be designed and maintained to reduce factors that could lead to injury Turf arenas are preferred due to most sand-based arenas not having driving specifications All-weather sand based equestrian artificial footing - sand top layer/middle layer/subbase/drainage The top layer for driving must be flat/smooth and not slippery with minimal to no dust The depth needed is less than required for jumping and dressage to allow for traction Adequate drainage must be installed to ensure the surface recovers quickly from rainfall Historically high-level competitions on established sites used a turf surface, but the difficulty in maintenance and days lost due to bad weather alongside the development of synthetic surfaces has meant there has been a shift towards other solutions Some venues have opted for all-weather surfaces, which are usually based on sand Traditionally, a surface that requires more resistance can be achieved mainly through rolling the surface and increasing moisture content by more watering, starting a few days before the event so that all layers of the surface become thoroughly moist Turf is to be maintained in good health with a strong root system and seasonal leaf growth All surfaces are to be smooth, free of scalping, clippings and a have a low weed population Mowing should be conducted to ensure that clippings are not left on the surface	Horses must be trained and compete on suitable and safe surfaces. All ground surfaces on which horses walk, train or compete must be designed and maintained to reduce factors that could lead to injury The arena must be of a soft and springy material An all-weather sand surface and indoors is preferred - sand top layer/middle layer/subbase/drainage The top layer should be rebounding, shock absorbing, flat/ smooth and not slippery with minimal to no dust The depth required is similar for dressage Adequate drainage must be installed to ensure the surface recovers quickly from rainfall Turf arenas for the lower level competitions or training days may be an option, providing they are flat and smooth Turf is to be maintained in good health with a strong root system and seasonal leaf growth All surfaces are to be smooth, free of scalping, clippings and a have a low weed population Mowing should be conducted to ensure that clippings are not left on the surface	Horses must be trained and compete on suitable and safe surfaces. All ground surfaces on which horses walk, train or compete must be designed and maintained to reduce factors that could lead to injury All-weather sand based equestrian artificial footing - sand top layer/middle layer/subbase/drainage The top layer should be rebounding, shock absorbing, flat/smooth and not slippery The depth required is similar for dressage Adequate drainage must be installed to ensure the surface recovers quickly from rainfall Additives to sand i.e. fibre has been used in riding surfaces for more than 25 years, with the aim of improving functional properties, increasing shear strength and stability and reducing maintenance requirements Historically high-level competitions on established sites used a turf surface, but the difficulty in maintenance and days lost due to bad weather alongside the development of synthetic surfaces has meant there has been a shift towards other solutions Some venues have opted for all-weather surfaces which are usually based on sand Traditionally, a surface that requires more resistance can be achieved mainly through rolling the surface and increasing moisture content by more watering, starting a few days before the eve so that all layers of the surface become thorought moist Turf is to be maintained in good health with a strong root system and seasonal leaf growth All surfaces are to be smooth, free of scalping, clippings and a have a low weed population Mowing should be conducted to ensure that clippings are not left on the surface



Facility Standard Requirements	Dressage	Jumping	Eventing	Driving	Vaulting	Show Horse
Fencing Spectator Areas	Livestock proof perimeter fencing, well maintained, safe Competition and training area/s and venue enclosed with Preferably no electric fencing and/or star pickets Security fencing around stabling area must be adequate Public surrounding area safe, separate from horses and Seating and shade available Permanent or temporary, furnished office space with electricity	suitable fencing for the level of the event	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space with electricity	Permanent or temporary, furnished office space
Admin / Office Rooms	Tier 1 – multiple office rooms, media areas, video and repeater boards, electronic live scoreboard Sports info reception min 50m2, sports info back office 25m2, stable management min 15m2, equine logistics office min 20m2, horse feed/bedding supplies office min 15m2, saddlery repair/supplies service, wheelchair/ orthotic repair service, athlete/NOC/NPC catering and lounge facilities, athlete medical, physio, doping control facilities, grooms' accommodation	Tier 1 – multiple office rooms, media areas, video and repeater boards, electronic live scoreboard Sports info reception min 50m2, sports info back office 25m2, stable management min 15m2, equine logistics office min 20m2, horse feed/bedding supplies office min 15m2, saddlery repair/supplies service, wheelchair/orthotic repair service, athlete/NOC/NPC catering and lounge facilities, athlete medical, physio, doping control facilities, grooms' accommodation	Tier 1 – (see also dressage and jumping admin/office rooms) Cross country: CCTV, tents or covered structures for start/finish, sector bases and control 9m2 tents for NOC teams at cross country finish area for teams and first aid tent/area, 3 cooling tents (min 150m2 each), 9m2 vet tent, 150m2 athlete TV tent and 25m2 NOC information area Compulsory ambulance on site for cross country	Tier 1 – multiple office rooms, media areas, video and repeater boards, electronic live scoreboard Sports info reception min 50m2, sports info back office 25m2, stable management min 15m2, equine logistics office min 20m2, horse feed/bedding supplies office min 15m2, saddlery repair/supplies service, wheelchair/ orthotic repair service, athlete/NOC/NPC catering and lounge facilities, athlete medical, physio, doping control facilities, grooms' accommodation	Tier 1 – multiple office rooms, media areas, video and repeater boards, electronic live scoreboard Sports info reception min 50m2, sports info back office 25m2, stable management min 15m2, equine logistics office min 20m2, horse feed/bedding supplies office min 15m2, saddlery repair/supplies service, wheelchair/orthotic repair service, athlete/NOC/NPC catering and lounge facilities, athlete medical, physio, doping control facilities, grooms' accommodation	with electricity
Equipment	The edge of the competition arena/s must consist of low continuous surrounds (rectangular white PVC boards, not chain or rope) about 0.3m high with 2-4m entrance Dressage arenas can be placed at least 10m apart, preferably 15m For more details refer to EA national dressage rules 01/01/2019 section 3.6 12 dressage letters (AFBMCHEKRSVP)/ per competition arena, made to be visible at all angles Arena numbers Judges boxes designed with space for 3 people with weather protection and raised floor (min 50cm)	The obstacles must be inviting in their overall shape and appearance, varied and match their surroundings Both the obstacles themselves and their constituent parts must be such that they can be knocked down, while not being so light that they fall at the slightest touch or so heavy that they may cause Horses to fall or be injured The obstacles must be designed with horsemanship and fairness in mind Poles and other parts of the obstacles are held up by supports (cups) The pole must be able to roll on its support; in this case the support must have a depth of min 18 mm and a depth of max 30 mm For planks, balustrades, barriers, gates etc, the diameter of the supports must be more open or even flat Approved safety cups must be used in the competition arena and schooling areas FEI approved safety cups must be used for FEI events Judges box / tents with table and chairs for officials	See equipment section for dressage and jumping For more details refer to EA national eventing rules 01/01/2019 Cross country fences Portable fence anchors or securing system Frangible deformable devices Ice for cooling horses and misting fans in hot climate	The edge of the driven dressage arena (100mx40m) must consist of low continuous surrounds (e.g. rectangular white PVC boards, not chain or rope) about 0.3m high with 2-4m entrance Dressage arenas can be placed at least 10m apart, preferably 15m For more details refer to EA national dressage rules 01/01/2019 section 3.6 12 dressage letters (AFBMCHEKRSVP) made to be visible at all angles Red and white flags, yellow direction markers, numbers, cones, weighbridge Judges boxes designed with space for 3 people with weather protection and raised floor (min 50cm) (5m from competition arena)	The edge of the competition ring must consist of low continuous surrounds or markers Continuous surrounds should be rectangular white PVC boards (not chain or rope) about 0.3m high with 2-4m entrance ABCD letters Judges tables and raised platforms Plants	The edge of the competition rings must consist of low continuous surrounds or markers Continuous surrounds should be rectangular white PVC boards (not chain or rope) about 0.3m high with 2-4m entrance Arena numbers Judges box or tent/s with table and chairs for officials Presentation topiaries and flags Jumping equipment for working hunter classes (see jumping equipment specifications)
Lighting / Sound Horse Inspection / Veterinary	General lighting in camping and yard/stables areas Competition arena 500-1,000 lux lighting PA system or split sound system recommended, one for Split sound system is also required for freestyle dressage Trot up area – 50m long with firm flat surface, 2m wide, horse inspection holding box and practice strip Tier 1 – veterinary clinic required with min 6 treatment boxes Medication control (swabbing) – Tier 1 – min 4 stables,	Dublic and one for competitors which can be heard in camping a competitions Trot up area – 50m long with firm flat surface, 2m wide, horse inspection holding box and practice strip Tier 1 – veterinary clinic required with min 6 treatment boxes Medication control (swabbing) – Tier 1 – min 4 stables, Tier	and stable areas Trot up area – 50m long with firm flat surface, 2m wide, horse inspection holding box and practice strip Tier 1 – veterinary clinic required with min 6 treatment boxes Medication control (swabbing) – Tier 1 – min 4 stables, Tier 2 – min 2 stables, Tier 3 – min 1 stable/yard	Trot up area – 50m long with firm flat surface, 2m wide, horse inspection holding box and practice strip Tier 1 – veterinary clinic required with min 6 treatment boxes Medication control (swabbing) – Tier 1 – min 4 stables,	Trot up area – 50m long with firm flat surface, 2m wide, horse inspection holding box and practice strip Tier 1 – veterinary clinic required with min 6 treatment boxes Medication control (swabbing) – Tier 1 – min 4 stables, Tier 2 – min 2 stables, Tier 3 – min 1 stable/vard	Measuring bay – flat concrete surface, must be laid in a horizontal plane (flat to within 6mm), refer to EA measuring rules Medication control (swabbing) – Tier 2 – min 2 stables, Tier 3 – min 1 stable/yard
Holding Areas	Tier 2 – min 2 stables, Tier 3 – min 1 stable/yard Min 500m2 Tier 1 – holding area min 500m2 with equipment check a	2 - min 2 stables, Tier 3 - min 1 stable/yard		Tier 2 – min 2 stables, Tier 3 – min 1 stable/yard		



Facility Standard	Dressage	Jumping	Eventing	Driving	Vaulting	Show Horse
Requirements	Dressage	oumping	Lyonning	Diving	Vacining	
	Stables or yards must be safe, hygienic, comfortable, well ventilated and of sufficient size for the type and disposition of the horse	Stables or yards must be safe, hygienic, comfortable, well ventilated and of sufficient size for the type and disposition of the horse	Stables or yards must be safe, hygienic, comfortable, well ventilated and of sufficient size for the type and disposition of the horse	Stables or yards must be safe, hygienic, comfortable, well ventilated and of sufficient size for the type and disposition of the horse		Stables or yards must be safe, hygienic, comfortable, well ventilated and of sufficient size for the type and disposition of the horse
	Stables – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	Stables – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	(12.25m2) made of solid fixed material or portable panels	Stables – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	Stables – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	Stables – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels
	Stallions must be adequately catered for within stable facilities	Stallions must be adequately catered for within stable facilities Adequate lighting and electricity	Stallions must be adequately catered for within stable facilities Adequate lighting and electricity Additional stables can be required for tack or feed	Stallions must be adequately catered for within stable facilities	Stallions must be adequately catered for within stable facilities Adequate lighting and electricity	Stallions must be adequately catered for within stable facilities
	Adequate lighting and electricity Additional stables can be required for tack or feed	Additional stables can be required for tack or feed Surveillance and security fencing around stabling area must	Surveillance and security fencing around stabling area must be adequate for the level of the event	Adequate lighting and electricity Additional stables can be required for tack or feed	Additional stables can be required for tack or feed Surveillance and security fencing around stabling area must	Adequate lighting and electricity Additional stables can be required for tack or feed
	Surveillance and security fencing around stabling area must be adequate for the level of the event Medication control (swabbing)	be adequate for the level of the event Medication control (swabbing)	Medication control (swabbing) Tier 1 – min 4	Surveillance and security fencing around stabling area must be adequate for the level of the event Medication control (swabbing)	be adequate for the level of the event Medication control (swabbing)	Surveillance and security fencing around stabling area must be adequate for the level of the event Medication control (swabbing)
Stables /	Tier 1 – min 4, Tier 2 – min 2, Tier 3 – min 1 (stables are preferred and adjoining administrative area)	Tier 1 – min 4 Tier 2 – min 2 Tier 3 – min 1	Tier 2 – min 2 Tier 3 – min 1 (stables are preferred and adjoining administrative area)	Tier 1 – min 4 Tier 2 – min 2	Tier 1 – min 4 Tier 2 – min 2 Tier 3 – min 1	Tier 2 – min 2 Tier 3 – min 1
Yards	Yards – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	(stables are preferred and adjoining administrative area) Yards – can be either permanent or temporary 3.5mx3.5m	Yards – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels	Tier 3 – min 1 (stables are preferred and adjoining administrative area)	(stables are preferred and adjoining administrative area) Yards – can be either permanent or temporary 3.5mx3.5m	(stables are preferred and adjoining administrative area)
	The use of electrified tape, strings, ropes or chains are not permitted at EA events	(12.25m2) Made of solid fixed material or portable panels	The use of electrified tape, strings, ropes or chains are not permitted at EA events As per FEI rules from 2020, shade is required over enclosures	Yards – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels The use of electrified tape, strings, ropes or chains are not	(12.25m2) made of solid fixed material or portable panels. The use of electrified tape, strings, ropes or chains are not permitted at EA events	Yards – can be either permanent or temporary 3.5mx3.5m (12.25m2) made of solid fixed material or portable panels
	Championships – approximately 100-140 stables will be required if OC's expect to stable all competitors on the grounds (min 75 must be available on the grounds and preference should be given to competitors travelling long distances, those staying for longer periods and for FEI horses and stallions)	The use of electrified tape, strings, ropes or chains are not permitted at EA events As per FEI rules from 2020, shade is required over enclosures (also known as yards)	(also known as yards)	As per FEI rules from 2020, shade is required over enclosures (also known as yards)	As per FEI rules from 2020, shade is required over enclosures (also known as yards)	The use of electrified tape, strings, ropes or chains are not permitted at EA events
	2* – the event must be at least a two-day event – if adequate stabling is not available, it is recommended the event be run over two separate weekends					
	As per FEI rules from 2020, shade is required over enclosures (also known as yards)					
Storage	Suitable area for manure that will enable regular removal Tier 1 – tack/equipment storage min 4m2 per horse and 6					
Otorage	Tier 1 and 2 – horse feed and bedding storage areas					
	Powered camping area/s suitable for large semi-trailers,	horse trucks and goosenecks				
	Approximately 100-200m2/campsite	0				
	Electricity and water available, toilet/shower facilities					
Camping	<500 people – requires 1 male toilet, + 2 urinals + 2 hand	basins, + 6 female toilets + 2 hand basins				
	Min 1 disabled amenities					
	Min 1 shower per 30 campsites					
	Tier 2 – self-catering and laundry facilities are recommen	ded				
	Taps – min 1 tap/20 horses					
	Wash bays - min 1 wash bay min 6m2 (tier 1 - wash bay	/ min 12m2)				
Water	Preferred min 1 wash bay/60 horses Good water pressure at all times					
	Wash bays and water must always be available					
	Drinking water available (for humans)					
Para /	Disabled amenities					
Disabled Facilities	Ramp and mounting area for para athletes					
Tucilities	Disabled access for spectators Environmental sustainability					
Environmental		t i.e. re-using grey water, solar panels, shade, capturing rain w	ater etc			
	All facilities should consider the effect of the environment All facilities should have a biosecurity plan, risk managen					
All Weather		er ie. high UV / heat / day length / rain which may affect partici	pation levels			
	Refer to each discipline for all specifications and tiers					
Interschool	For showman competitions refer to dressage, show horse	e and jumping sections				
	For combined training refer to dressage and jumping					
Other	For all other equestrian disciplines, relevant requirements	s from the specifications and base tier can be applied to optimi	se a facility			



07 MAINTENANCE

For sand based question antificial footing - Water is the single most important factor that influences the properties you want fom an arena Mosture to a high degree determines the properties you want fom an arena Notisture to a high degree determines the properties you want fom an arena If the solity has a limited water supply there are alternable solitons: By adding the water under the arena surface and thus reducing evaporation Suitable and even application of moisture - good access to water (for irrigation) is very important for arena maintenance c.g. celling pointkins, wait spinkkins, water trucks, moveable spinkkins, water hoese Suitable and even application of moisture - good access to water (for irrigation) is very important for arena maintenance c.g. celling pointkins, wait spinkkins, water trucks, moveable spinkkins, water hoese Suitable and even application of moisture - good access to water (for irrigation) is very important for arena maintenance c.g. celling pointkins, wait spinkkins, water trucks, moveable spinkkins, water hoese Suitable and even application of moisture - good access to water (for irrigation) is very important for metal schuld the application of moisture - good access to water (for irrigation) is very important for arena maintenance c.g. celling pointkins, wait spinkkins, water trucks, moveable spinkkins, water hoese Suitable and very application of moisture - good access to water (for irrigation) is very important for arena maintenance c.g. celling p	Facility Standard Requirements	Dressage	Jumping	Eventing
Image: Interpretent in the solid directly affects the horses' ability to move, turn, jump and stop A good supply of water and a good watering system are, therefore, very important to consider when installing an arena If the facility has a limited water supply there are alternative solutions: Buy water in a tank, cognise collection of surface water for xample rain water (in some areas this can be subject to laws and regulations), consider a waxed sand surface which requires less added moisture, substance and thus reducing evaporation Suitable and even application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. celling sprinkers, wall sprinkers, water trucks, moveable sprinklers, water hoses After competitions or training days dives must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejum Suitable and even application to moisture – good access to water (for irrigation) is very important for arena maintenance After competitions or training days dives must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejum Sufficient water should be applied to the track to ensure plant health and soil profile and encourages rejuvenation Sufficient water should be applied to the track to ensure plant health and soil profile in an alteriated An integrade pest, weed and disease management program is recommended to be undertaken P		For sand based equestrian artificial footing –		
The moisture level in the soll directly affects the horses' ability to move, turn, jump and stop A good supply of water and a good watering system are, therefore, very important to consider when installing an arena If the findight has a limited water supply there are all enables estudions: Buy water in a tank, organise collection of surface water for example rain water (in some areas this can be subject to laws and regulations), consider a waxed sand surface which requires less added moisture, subset by adding the water under the arena surface and thus reducing evaporation Suitable and oven application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. celling sprinklers, water trucks, moveable sprinklers, water hoese After competitions or training days divots must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to regive Reling the field after uses and potects movers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sud however is not recommended as a horse may sign if un-rooted, therefore seeds are better Sufficient water should be applied to the track to ensure plant heath and solphand plant heath Programs implemented should ensure compliance with the legal requirements of the site anaten Programs implemented should accord with prevailing growing conditions and frequency of competitions or training days Mowing program should acc		Water is the single most important factor that influences the properti	ies you want from an arena	
A good supply of water and a good watering system are, therefore, very important to consider when installing an arena If the facility has a limited water supply there are alternative solutions: Buy water in a tank, regnise collection of workare water for example rain water (in some areas this can be subject to laws and regulations), consider a waxed sand surface which requires less added moisture, subset y adding the water under the arena surface and thus reducing evaporation Suitable and even application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. celling sprinklers, wall sprinklers, water trucks, moveable sprinklers, water hoses After competitions or training days divide must be replaced/repaired as social (immediately when possible will avoid the divid drying out) and sufficient maintenance conducted to enable the track to rejux Rolling the field after use can help to keep a smooth surface and protects mowers from scalping the mounds that each divid creates Patching works should be completed with a suitable material that matches the soil profile in anintaned An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the sile and relevant legistation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the fur cultivar A mowing should be conducted to ensure that aligning and integrate plant. Areting management plan Areting management plan Areting management plan Areting management plan Areting ma		Moisture to a high degree determines the properties of the sand, and	d therefore also of the arena	
Irrigation / Waterina If the facility has a limited water supply there are atternative solutions: Buy water in a tank, organise collection of surface water for example rain water (in some areas this can be subject to laws and regulations), consider a waxed sand surface which requires less added moisture, subs by adding the water under the arean surface and thus reducing exponention Sultable and even application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. ceiling sprinklers, water trucks, moveable sprinklers, water hoses After competitions or training days drives must be replaced/repaired as soon as possible (mmediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejuv Rolling the field after use can help to keep a smooth surface and protects mowers from scaling the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are beter Sufficient water should be septended to the tack to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Program sinplementer that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, plan Acating management plan		The moisture level in the soil directly affects the horses' ability to mo	ove, turn, jump and stop	
Buy water in a tank, organise collection of surface water for example rain water (in some areas this can be subject to laws and regulations), consider a waxed sand surface which requires less added moisture, subside adding the water under the arena surface and thus reducing evaporation Suitable and even application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. celling sprinklers, water trucks, moveable sprinklers, water hoses After competitions or training days divots must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejuv Rolling the field after use can help to keep a smooth surface and protects movers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Soft however is not recommended as a horse may slip if un-nocled, therefore seeds are better Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be conducted to ensure that clippings are not left on the surface Turf Management Sufficient water two factors of the site and relevant legislation etc Autor of the surface and disease management program is recommended to be undertaken Programs implemented should enscore thin prevali		A good supply of water and a good watering system are, therefore, w	very important to consider when installing an arena	
by adding the water under the arena surface and thus reducing evaporation Suitable and even application of moisture – good access to water (for irrigation) is very important for arena maintenance e.g. celling spinklers, water trucks, moveable spinklers, water hoses After competitions or training days divots must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejuv Rolling the field after use can help to keep a smooth surface and protects movers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sufficient water should be expliced to the track to resure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should be selected for the least residual effects on the colour, root depth and plant health of the truc fully are should be selected for the least residual effects on the colour, root depth and plant health of the truc fully are should be conducted to ensure that highing are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Aerating management plan to epilement the requirements of the site and relevant to egilement of ally management plan Aerating management plan to epilement the fully conditions end frequently Annual renovation It is important to remember that the final cost of ean erie quiryment. Autor conditions and requency of competitions or training days Avoid management plan to player materials require different equipment e.g. trackor, light tarm type tr	Irrigation / Watering	If the facility has a limited water supply there are alternative solution	IS:	
e.g. ceiling sprinklers, wall sprinklers, water trucks, moveable sprinklers, water hoses After competitions or training days divids must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejux Rolling the field after use can help to keep a smooth surface and protects mowers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that elippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Actaring management plan Suitable matchinery – different top layer materials require different equipmen				, consider a waxed sand surface which requires less added moisture, subsu
After competitions or training days divots must be replaced/repaired as soon as possible (immediately when possible will avoid the divot drying out) and sufficient maintenance conducted to enable the track to rejuv Rolling the field after use can help to keep a smooth surface and protects mowers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation So d however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horse's ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Acerating management plan Suitable machinerry – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers <th></th> <td></td> <td></td> <td></td>				
Rolling the field after use can help to keep a smooth surface and protects mowers from scalping the mounds that each divot creates Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevaling growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Acarting management plan Acarting management plan Acarting management plan Acoid manure contaminatinon – or replacing the top layer is required				
Patching works should be completed with a suitable material that matches the soil profile and encourages rejuvenation Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Acarating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light fam type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determinede by materials and the construction, but als				(ing out) and sufficient maintenance conducted to enable the track to rejuve
Sod however is not recommended as a horse may slip if un-rooted, therefore seeds are better Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an area is not on only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "life				
Sufficient water should be applied to the track to ensure plant health and soil profile is maintained An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "It				
An integrated pest, weed and disease management program is recommended to be undertaken Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "life				
Turf Management Programs implemented should ensure compliance with the legal requirements of the site and relevant legislation etc All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "life top service the reservice top service				
All products used should be selected for the least residual effects on the colour, root depth and plant health of the turf cultivar A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lipping" will be cheated with use construction and equipment/machinery materials and the construction are equipment/machinery renovations and expected "lipping" will be cheated with use construction and equipment/machinery renovations and expected "lipping" will be cheated with use construction and equipment/machinery renovations and expected "lipping" will be cheated with use construction are equipment/machinery renovations and expected "lipping" will be cheated with use construction are equipment/machinery in the cheated with use construction and equipment/machinery renovations and expected "lipping" will be cheated with use construction and equipment/machinery renovations and expected "lipping" will be cheated with use construction are equipment/machinery renovations and expected "lipping" will be cheated with use construction are equipment/machinery renovations and expected "lipping" will be cheated with use construction are equipment/machinery ren	Turf Managament			
A mowing program should accord with prevailing growing conditions and frequency of competitions or training days Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lip	run management		· _	
Mowing should be conducted to ensure that clippings are not left on the surface The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "liptic times units are unit to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "liptic times units are units areas areas areas and the units areas areas and the units areas areas units areas area		•		
The moisture level in the soil directly affects the horses' ability to run, turn and stop (see Irrigation/watering) Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "licenance"				
Land and pasture degradation management, weed management plan Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "line" will be abadeevilte adversariate ansistenance.				
Aerating management plan Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "liptome" will be chedrewithent expected maintenance.				
Suitable machinery – different top layer materials require different equipment e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lit			ATT	
e.g. tractor, light farm type tractor, drags, harrows, aerators, rollers Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lic			equipment	
Frequent maintenance – daily management plan for optimum results Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lives are will mean and equipment/machinery, renovations and expected "lives" will be chosten without correspondence.			- 1 · F	
Avoid manure contamination – or replacing the top layer is required more frequently Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "lice the second the "lifetime" will be chosen with the second the "lifetime" will be chosen with the second the "lifetime" will be chosen with the second termined by materials and termined by materials and the second termined by materials and te			lts	
Annual renovation It is important to remember that the final cost of an arena is not only determined by materials and the construction, but also maintenance, including work time and equipment/machinery, renovations and expected "liver and the construction of the second secon				
Sand Arena No arena will meet expectations without correct maintenance and the "lifetime" will be shorter without appropriate maintenance		It is important to remember that the final cost of an arena is not only	determined by materials and the construction, but also maintenance, ir	ncluding work time and equipment/machinery, renovations and expected "life
	Sand Arena	No arena will meet expectations without correct maintenance and th	e "lifetime" will be shorter without appropriate maintenance	
Management / Longevity of an arena surface can vary and is often dependent on its makeup, location (particularly indoor or outdoor) and maintenance		Longevity of an arena surface can vary and is often dependent on its	s makeup, location (particularly indoor or outdoor) and maintenance	
Maintaining an arena surface correctly are to reduce compaction and to improve or maintain consistency around the arena	Maintenance	Maintaining an arena surface correctly are to reduce compaction an	d to improve or maintain consistency around the arena	
Uneven surfaces with varying moisture content, compaction and composition result in inconsistent forces acting upon the horse		Uneven surfaces with varying moisture content, compaction and cor	mposition result in inconsistent forces acting upon the horse	
Oval arenas or rectangles with rounded edges are more appropriate for jumping and are easier to maintain i.e. drag/harrow etc		Oval arenas or rectangles with rounded edges are more appropriate	e for jumping and are easier to maintain i.e. drag/harrow etc	
FEI Recommendation –		FEI Recommendation –		
On the day of competition, it is important to keep the surface uniform to meet riders' expectations (and potentially prevent injury)		On the day of competition, it is important to keep the surface uniform	n to meet riders' expectations (and potentially prevent injury)	
This must be achieved with little yet sufficient maintenance during the class e.g. with up to 40 starters in a Jumping class the surface can be raked by hand between horses		This must be achieved with little yet sufficient maintenance during the	ne class e.g. with up to 40 starters in a Jumping class the surface can b	e raked by hand between horses
Classes with more than 40 starters should have intervals of 10-20 minutes to allow for further raking or the use of a tractor, in order to ensure consistent properties of the surface for all participants		Classes with more than 40 starters should have intervals of 10-20 m	ninutes to allow for further raking or the use of a tractor, in order to ensu	re consistent properties of the surface for all participants

Driving
surface watering also called "Ebb and Flood" systems save water
venate after use
ifetime" or length of use



08 REFERENCES

Dressage

FEI Dressage Rules 2019

National Dressage Rules 2019

12 Procedures Manual As of 26th January 2018 – Section 5, pg8-11 – Event Classification and Site Requirements.

12 Procedures Manual As of 26th January 2018 – Section 21, pg29-31 – Guidelines for Organising Committees (OCs) of Queensland State Dressage Championships

Jumping

FEI Jumping Rules 2019

National Jumping Rules 2019

Jumping Queensland Event Manual – Section 1, pg4-6 – Are you ready to run a jumping event? Event Facilities

Jumping Footing – <u>https://www.sciencedirect.com/science/article/pii/S1090023317301673</u>

Eventing

National Eventing Rules 2019

FEI Eventing Rules 2019

FEI Eventing Rules 2019 Chapter 7 General Competitions Rules Article 535.4 Practice Areas

FEI Eventing Rules 2019 Chapter 9 Cross Country Test – Article 546 Courses

FEI Eventing Rules 2019 – The FEI Code of Conduct for the Welfare of the Horse – pg11-3. Events must not prejudice Horse welfare.

Eventing Queensland - Rules for Lower Level Events

Eventing Rules – Annex E – Organising Requirements for Eventing 4 Star Level Events

Carriage Driving

FEI Driving Rules 2019

National Driving Rules 2019

Vaulting

FEI Vaulting Rules 2019

National Vaulting Rules 2019

Show Horse

Show Horse EA National Rules http://www.equestrian.org.au/sites/default/files/EA_Show_Horse_Rule_Book_CLEAN%2001012019.pdf

EA Measuring Rules – http://www.equestrian.org.au/sites/default/files/EA_Measuring_Rules_ updated01072017.pdf

General

FEI Olympic Regulations Tokyo 2020 - Chapter I General - Article 604 - QUOTA

FEI Olympic Regulations Tokyo 2020 – Chapter II Eventing – Article 624 – Rules for the Eventing Competition

Olympic and Paralympic Venue Operational Requirements 1st Edition, January 2015

Racing Queensland – Minimum Venue and Equipment Standards, Thoroughbred Venues – Country A

Managing Grazing Lands in Queensland (Department of Environment and Resource Management)

Equine Surfaces White Paper, Sarah Jane Hobbs, Ph.D., University of Central Lancashire, UK/ Alison J. Northrop, M.Sc., Anglia Ruskin University, UK/ Christie Mahaffey, Ph.D., Racing Surfaces Testing Laboratory, USA/ Jaime H.

Martin, Ph.D., Myerscough College, UK/ Hilary M . Clayton, BVMS, Ph.D., MRCVS, Michigan State University, USA/ Rachel Murray, MA VetMB MS Ph.D., MRCVS, Animal Health Trust, UK/ Lars Roepstorff, DVM, Ph.D., Swedish

University of Agricultural Sciences, Sweden/ Michael "Mick" Peterson, Ph.D., University of Maine, USA

Equestrian Surfaces A Guide, Swedish Equestrian Federation, Ridsportens Hus, 734 94 Strömsholm, www.ridsport.se

AUSTRALIAN RULES OF POLO Effective 20th August 2018 As adopted by Australian POLO Federation, Annex A, https://www.polorules.com/

_Horse_Rule_Book_CLEAN%2001012019.pdf /default/files/EA_Measuring_Rules_



09 GLOSSARY

Aerator	A tool designed to create holes in the soil in order to help grasses grow. In compacted surfaces, aeration improves soil drainage and encourages worms, microfauna and microflora which require oxygen.
CCTV	Closed circuit television (CCTV) is the use of video cameras to transmit a signal to a specific place
Drag	A heavy type of flat harrow for dragging, used to smooth and even out surfaces
CAI	Concours de Dressage International (International Dressage Event) and recognized by the world governing body of equestrian sports, the Fédération Equestre Internationale (FEI)
CCI	Concours de Eventing International (International Eventing Event) and recognized by the world governing body of equestrian sports, the Fédération Equestre Internationale (FEI)
CCN	Australian National Eventing Event (higher levels)
CDI	Concours de Driving International (International Driving Event) and recognized by the world governing body of equestrian sports, the Fédération Equestre Internationale (FEI)
CVI	Concours de Vaulting International (International Vaulting Event) and recognized by the world governing body of equestrian sports, the Fédération Equestre Internationale (FEI)

EA Equestrian Australia – National governing body for equestrian sports in Australia

Ebb and Flood (Also known as Ebb and Flow or flood drain) An under-surface watering system. Two phases of movement of water - the ebb is the outgoing phase, when water drains away and the flow is the incoming phase EQ Equestrian Queensland – State branch of Equestrian Australia EvA Australian National Eventing Event (lower levels) FEI Fédération Equestre Internationale, the International Federation for Equestrian Sports FoP Field of play Harrow An agricultural implement consisting of many spikes, tines or discs for dragging across surfaces HOTY Horse of the year Lux Lighting NOC National Olympic Committee NPC National Paralympic Committee OC Organising Committee PA Public address system, an electronic system comprising microphones, amplifiers, loudspeakers and related equipment PARA Equestrian sport for athletes with a range of disabilities PVC Plastic polyvinyl chloride WEG FEI World Equestrian Games

